BDP-S1500/S5500

RMT-VB100U

SERVICE MANUAL

Brazilian Model

Self Diagnosis Supported model

Ver. 1.0 2015.01

Photo: BDP-S5500
Remote : RMT-VB100U

SPECIFICATIONS

System
Laser: Semiconductor laser

Inputs and outputs
(Jack name:
Jack type/Output level/Load impedance)

DIGITAL OUT (COAXIAL):
Phono jack/0.5 Vp-p/75 ohms

HDMI OUT:
HDMI 19-pin standard connector

LAN (100):
100BASE-TX Terminal

USB:
USB jack Type A (For connecting a USB memory,memory card reader, digital still camera, and digital video camera)

AC adaptor:
Input: 100 V - 240 V ~ 50/60 Hz, 240 mA
Output: 12 V, 800 mA

Operating temperature: 0 ºC - 45 ºC

DC (direct current) IN:
BDP-S5500: 12 V DC (direct current),750 mA
BDP-S1500: 12 V DC (direct current), 600 mA

Wireless (BDP-S5500 ONLY)

Wireless LAN (local area network) standard:
IEEE 802.11 b/g/n

Frequency range:
2.4 GHz band : Channels 1-13

Modulation:
DSSS and OFDM

General

Power requirements:
BDP-S5500: 12 V DC (direct current),
750 mA (with AC adaptor)
BDP-S1500: 12 V DC (direct current),
600 mA (with AC adaptor)

Power consumption (when using ACadaptor):
BDP-S1500: 8.8 W
BDP-S5500: 11 W

Dimensions (app rox.):
230mm × 194 mm × 39 mm
(width/depth/height)incl. projecting parts

Mass (approx.):
0.8 kg

Operating Temperature:
5ºC to 35ºC (41ºF to 95ºC)

Operating humidity:
25 % to 80 %

Supplied accessories
- High Speed HDMI cable (1)
- Remote commander (remote) (1)
- R03 (size AAA) batteries (2)
- AC adaptor (AC-M1208WW)(1)
- Plug adaptor *(1)
- AC power cord (1)

* This plug adaptor is not for the use in Chile.
Please use this plug adaptor in the countries where it is necessary.

Specifications and design are subject to change without notice.

Blu-ray Disc™ / DVD Player

SONY

9-930-420-11

RDCM
Home Entertainment Business Group

2015A6900-1
© 2015.1
Published by Manual Design Dept.

REPAIR PARTS LIST

The components identified by mark ⚠ or dotted line with mark ⚠ are critical for safety.
Replace only with part number specified.

Les composants iden tifiés par une marque ⚠ sont critiquens pour la sécurité.
Ne les remplace r que par une pièce portant le numéro spécifié.

ACCESSORIES

200
HDMI Cable



201
Remote Commander

202

AC Adaptor (AC-M1208WW)



203
Power-Supply Cord Set

Ref. No.	Part No.	Description
200	1-848-520-11	HDMI CABLE
201	1-492-954-11	REMOTE COMMANDER (RMT-VB100U)
202	1-492-686-22	AC ADAPTOR (AC-M1208WW)
⚠ 203	1-846-092-11	CORD SET, POWER-SUPPLY

REVISION HISTORY

Ver.	Date	Description of Revision
1.0	2015.01	New